

# RS12

## Ruggedized Switch

Megapixel's RS12 Ruggedized Switch for HELIOS® is custom-engineered to withstand rigorous outdoor environments or to provide an expanded selection of mounting points for indoor racks or rear of screen; RS12 offers more flexibility for demanding HELIOS deployments.

Multiple Mounting  
Options

12 x 1G/2.5G CAT6A  
IP65 Neutrik™ etherCONs

1 x Neutrik™ opticalCON  
DUO for SM Fiber

Neutrik™ powerCON  
TRUE1 Input



**megapixel**

Connectors shown without weatherproof caps for clarity


**SPECIFICATIONS**

<b>PART NUMBER</b>	MVR-0050: RS12 Indoor Ruggedized HELIOS Switch Optional MVR-0051: RS12 Outdoor Enclosure
<b>INPUT</b>	1 x Neutrik™ opticalCON DUO Single Mode Fiber
<b>OUTPUT</b>	12 x 1GbE/2.5GbE CAT6A IP65-rated Weatherproof Neutrik™ etherCONs
<b>MOUNTING POINTS</b>	Dual rack, Rear of Screen, Outdoor
<b>POWER</b>	Neutrik™ powerCON TRUE1 Input 100V-240V, 50/60Hz, 1.2-06A
<b>(IN KG LBS) WEIGHT</b>	MVR-0050: 6.3   13.8 MVR-0051: 2.8   6.1
<b>(W x H x D IN MM IN) DIMENSIONS</b>	1.5RU MVR-0050: 482.5 x 65.6 x 255.1   18.9 x 2.5 x 10.0 MVR-0051: 490.0 x 87.5 x 304.8   19.2 x 3.4 x 12.0
<b>OPERATING CONDITIONS</b>	Outdoor Indirect Sunlight Only   0°C ~45°C

TM and © COPYRIGHT 2025 Megapixel. | Patents and Trademarks Pending Worldwide. | Specifications subject to change without notice. | All Rights Reserved.


[sales@megapixelvr.com](mailto:sales@megapixelvr.com)



RS12

# Ruggedized Switch

MVR-0050



MVR-0051

